



"ΑΛΕΞΑΝΔΡΟΣ ΦΛΕΜΙΓΚ"  
Ερευνητικό Κέντρο Βιοιατρικών Επιστημών

Αριθμ. Πρωτ: 622/24.09.2018

Αθήνα : 24.09.2018

ΔΙΕΥΘΥΝΣΗ ΟΙΚΟΝΟΜΙΚΩΝ ΥΠΗΡΕΣΙΩΝ  
Τμήμα: Προμηθειών

Ταχ. Δ/ση : Αλ.Φλέμιγκ 34, Τ.Κ.-16672 Βάρη  
Πληροφορίες : Π.Σκουλούδης  
Τηλέφωνο : 210 8979197  
Fax : 2108979198  
e-mail : [skouloudis@fleming.gr](mailto:skouloudis@fleming.gr)

Προς : - Κάθε ενδιαφερόμενο

### **Θέμα: «Πρόσκληση εκδήλωσης ενδιαφέροντος για την προμήθεια Ερευνητικών αναλωσίμων»**

Το Τμήμα Προμηθειών του Ερευνητικού Κέντρου Βιοιατρικών Επιστημών, προκειμένου να προβεί στην προμήθεια ερευνητικών αναλωσίμων, καλεί κάθε ενδιαφερόμενο φυσικό ή νομικό πρόσωπο που είναι σε θέση να προμηθεύσει τα είδη που περιγράφονται στον πίνακα που επισυνάπτεται, όπως εκδηλώσει το ενδιαφέρον του με κατάθεση οικονομικής προσφοράς (πρωτότυπη με σφραγίδα – υπογραφή) καθώς και του Τυποποιημένου Εντύπου Υπεύθυνης Δήλωσης (ΤΕΥΔ) σύμφωνα με το άρθρο 79, παρ. 4 ν. 4412/2016 (Α 147) στο Τμήμα Προμηθειών του Ε.ΚΕ.Β.Ε ΑΛ/ΦΛΕΜΙΓΚ (Αλ.Φλέμιγκ 34 ,Βάρη Αττικής / Ισόγειο, γραφείο 209) έως και την 28.09.2018, ώρα 15.00 μμ.

**Ο συνολικός προϋπολογισμός της ανωτέρω προμήθειας είναι 12.400,00 € συμπεριλαμβανόμενου ΦΠΑ 24% (10.000,00 € πλέον ΦΠΑ 24%) και βαρύνει τον ΚΑΕ 56.10.10 στα πλαίσια του έργου ΔΩΡΕΑ ΙΔΡΥΜΑΤΟΣ ΣΤΑΥΡΟΣ ΝΙΑΡΧΟΣ ΓΙΑ ΤΗ ΣΤΗΡΙΞΗ ΚΑΙ ΑΝΑΠΤΥΞΗ ΤΟΥ Ε.ΚΕ.Β.Ε. «ΑΛΕΞΑΝΔΡΟΣ ΦΛΕΜΙΓΚ"»**

CPV : ,19520000-7, 33696300-8, 33651520-9

Η σύμβαση θα ανατεθεί με το κριτήριο της πλέον συμφέρουσας από οικονομική άποψη προσφοράς με βάση μόνο την τιμή όπως αυτά περιγράφονται αναλυτικά στον πίνακα που ακολουθεί και πρέπει να συμπληρωθεί, επί ποινή αποκλεισμού και θα έχει διάρκεια από την ημερομηνία υπογραφής της και μέχρι 31.12.2018.

Σημειώνεται ότι επιτρέπεται η υποβολή προσφοράς για ένα ή περισσότερα ή το σύνολο των ειδών/τιμημάτων **A.1 - A.184** του διαγωνισμού που φαίνονται στον παρακάτω Πίνακα. Οι προσφορές θα κρίνονται ανά είδος/τιμήμα.

| A/A | ΠΕΡΙΓΡΑΦΗ ΕΙΔΟΥΣ   | ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ<br>(ΣΥΣΚΕΥΑΣΙΑ) | ΠΟΣΟΤΗΤΑ |
|-----|--|---------------------------------|----------|
| 1   | QUICKFIT ROUND-BOTTOM FLASK, SHORT NECK, capacity 25 mL, Joint: ST/NS 14/23                            | 25 mL                           | 5        |
| 2   | QUICKFIT ROUND-BOTTOM FLASK, SHORT NECK, capacity 50 mL, Joint: ST/NS 14/23                            | 50 mL                           | 5        |
| 3   | QUICKFIT ROUND-BOTTOM FLASK, SHORT NECK, capacity 100 mL, Joint: ST/NS 29/32                           | 100 mL                          | 5        |
| 4   | QUICKFIT ROUND-BOTTOM FLASK, SHORT NECK, capacity 250 mL, Joint: ST/NS 29/32                           | 250 mL                          | 3        |
| 5   | VACUUM ADAPTER, INNER S.T. 14/20 male Joint: ST/NS 14/20, straight port                                | 14/20                           | 2        |
| 6   | VACUUM ADAPTER, INNER S.T. 29/32 male Joint: ST/NS 29/32, straight port                                | 29/32                           | 2        |
| 7   | QUICKFIT EXPANSION ADAPTER, 29/32 SOCKET top female Joint: ST/NS 29/32, bottom male Joint: ST/NS 14/23 | 14/23 and 29/32                 | 2        |
| 8   | ERLENMEYER FLASK, 25ML, GRADUATED, capacity 25 mL  | 25 mL                           | 10       |
| 9   | ERLENMEYER FLASK, 50ML, GRADUATED, capacity 50 mL  | 50 mL                           | 10       |
| 10  | ERLENMEYER FLASK, 100ML, GRADUATED capacity 100 mL   | 100 mL                          | 10       |
| 11  | ERLENMEYER FLASK, 250ML, GRADUATED capacity 250 mL   | 250 mL                          | 10       |
| 12  | ERLENMEYER FLASK, 500ML, GRADUATED capacity 500 mL   | 500 mL                          | 3        |
| 13  | PP BEAKER WITH SPOUT, LOW FORM volume 25 mL  | 25 mL                           | 5        |
| 14  | PP BEAKER WITH SPOUT, LOW FORM volume 50 mL  | 50 mL                           | 5        |
| 15  | PP BEAKER WITH SPOUT, LOW FORM volume 100 mL   | 100 mL                          | 5        |

|    |  |                         |   |
|----|--|-------------------------|---|
| 16 | PP BEAKER WITH SPOUT, LOW FORM volume 250 mL   | 250 mL                  | 5 |
| 17 | PP BEAKER WITH SPOUT, LOW FORM volume 500 mL   | 500 mL                  | 5 |
| 18 | FILTERING FLASK, 100ML, NECK I.D. capacity 100 mL  | 100 mL                  | 5 |
| 19 | FILTERING FLASK, 250ML, NECK 34.5M capacity 250 mL   | 250 mL                  | 5 |
| 20 | Lenz sep funnel,ungrad,PTFE key,50ml capacity 50 mL, Joint: ST/NS 19/26, PTFE key, graduated: no   | 50 mL                   | 2 |
| 21 | Lenz sep funnel,ungrad,PTFE key,100ml capacity 100 mL, Joint: ST/NS 19/26, PTFE key, graduated: no | 100 mL                  | 2 |
| 22 | Lenz sep funnel,ungrad,PTFE key,250ml capacity 250 mL, Joint: ST/NS 29/32, PTFE key, graduated: no | 250 mL                  | 2 |
| 23 | MICRO FUNNELS, PP, TOP I.D. 28MM, STEM D top I.D. 28 mm, stem diam. 6 mm                           | 12                      | 1 |
| 24 | MICRO FUNNELS, PP, TOP I.D. 35MM, STEM D top I.D. 35 mm, stem diam. 8 mm                           | 12                      | 1 |
| 25 | BRAND MEASURING CYLINDER 25 ML, CLASS A volume 25 mL   | 25 mL                   | 2 |
| 26 | BRAND MEASURING CYLINDER, CLASS A CERTIF volume 100 mL   | 100 mL                  | 2 |
| 27 | PASTEUR PIPETTE, GLASS, PLAIN, VOLAC, 15 Non-plugged, L 150 mm                                     | 1 package of small ones | 1 |
| 28 | PASTEUR PIPETTE, GLASS, PLAIN, VOLAC, 23 Non-plugged, L 230 mm                                     | 1 package of big ones   | 1 |
| 29 | Eppendorf Safe-Lock Microtubes 1.5mLPCR capacity 1.5 mL  | 1 packages of 1.5 mL    | 1 |
| 30 | TECHWARE FILTER FUNNEL ADAPTER, SIZE 3, size 3   | 1 package of size 3     | 1 |
| 31 | CRIMPER, HAND-OPERATED, FOR 20-M O.D. 20 mm  |                         | 1 |
| 32 | DECAPPER, PLIERS, FOR 20-MM SEAL O.D. 20 mm  |                         | 1 |

|    |   |                                  |    |
|----|---|----------------------------------|----|
| 33 | DURAN GRADUATED LAB BOTTLE, 100ML, GL45 capacity 100 mL, clear glass  | 100 mL                           | 10 |
| 34 | DURAN GRADUATED LAB BOTTLE, 250ML, GL45 capacity 250 mL, clear glass  | 250 mL                           | 10 |
| 35 | DURAN GRADUATED LAB BOTTLE, 500ML, GL45 capacity 500 mL, clear glass  | 500 mL                           | 3  |
| 36 | PPN SCREW CAPS, FOR DURAN BOTTLES, WITH neck thread GL 45, blue polypropylene (with lip seal)                                     | 30 caps                          | 3  |
| 37 | LABJAWS REGULAR CLAMP HOLDER jaw capacity 0-18 mm , 0-71 inches, nickel plated (zinc)   |                                  | 1  |
| 38 | BENCHCLAMP, 3-PRONG, DUAL ADJUS dual adjustment, size M   |                                  | 1  |
| 39 | SUPPORT STAND WITH ROD, 4 X 6IN. BASE, 1 base size 4 in. x 6 in., Standard  |                                  | 1  |
| 40 | WHEATON SAMPLE VIALS, CLEAR, 4ML, 15 X 4 clear, volume 4 mL, screw-cap size, 13 - 425, diam. x H 15 mm x 46 mm @ 120,9€/200 vials | 1 package of vials (4 mL volume) | 1  |
| 41 | CAP, BLACK PLASTIC, WITH RUBBER LINER, S Solid top, white rubber liner, thread 13-425, pkg of 200 ea                              | 1 package of black plastic caps  | 1  |
| 42 | FLASH-CHROMATOGRAPHY ASSEMBLY, 400ML, WI capacity 400 mL, Standard column, Joint: ST/NS 29/32                                     |                                  | 1  |
| 43 | SOLVENT RESERVOIR, 500ML, WITH THREADED capacity 500 mL, Joint: ST/NS 29/32   |                                  | 1  |
| 44 | 3-(trifluoromethyl)aniline  | 100g                             | 1  |
| 45 | 4-hydrazinobenzoic acic hydrochloride   | 10g                              | 1  |
| 46 | 2-aminoimidazole sulfate  | 1g                               | 1  |
| 47 | 4-fluorophenylboronic acid  | 1 g                              | 1  |

|    |                                   |        |   |
|----|-----------------------------------|--------|---|
| 48 | Methyl 2-amino-5-bromo benzoate   | 5 g    | 1 |
| 49 | Potassium phosphate               | 100g   | 1 |
| 50 | Dicyclohexylamine                 | 100 mL | 1 |
| 51 | Palladium acetate                 | 1g     | 1 |
| 52 | triethyl orthoformate             | 100 mL | 1 |
| 53 | Sodium methoxide 30% in methanol  | 500 mL | 1 |
| 54 | 2,6-lutidine                      | 100 mL | 1 |
| 55 | chlorosulfonyl isocyanate         | 25g    | 1 |
| 56 | magnesium nitride                 | 10 g   | 1 |
| 57 | 2-amino-5-bromobenzenesulfonamide | 250 mg | 1 |
| 58 | 4-aminophenol                     | 50g    | 1 |
| 59 | Propionyl chloride                | 100g   | 1 |
| 60 | Allyl bromide                     | 250g   | 1 |
| 61 | Potassium carbonate               | 500 g  | 1 |
| 62 | 2-Hydroxycarbazole                | 5g     | 1 |
| 63 | 1,3-Dibromopropane                | 250g   | 1 |
| 64 | Isopropylamine                    | 100 mL | 1 |
| 65 | Benzylamine                       | 250g   | 1 |

|    |   |          |   |
|----|---|----------|---|
| 66 | 2-Propanol  | 1 L      | 1 |
| 67 | 2-Methoxy-5-sulfamoylbenzoic acid   | 10g      | 1 |
| 68 | 4-Amino-5-chloro-2-methoxybenzoic acid  | 25g      | 1 |
| 69 | (S)-1,4-Diazabicyclo[4.3.0]nonane   | 250 mg   | 1 |
| 70 | Copper sulfate pentahydrate   | 1 Kg     | 1 |
| 71 | Potassium hydroxide, flake 85%  | 1 Kg     | 1 |
| 72 | Iodoethane  | 100g     | 1 |
| 73 | Dimethyl sulfoxide anhydrous  | 100 mL   | 1 |
| 74 | 1,2-Dibromoethane   | 250 g    | 1 |
| 75 | Cesium carbonate (99%)  | 50 g     | 1 |
| 76 | Sodium nitrite  | 500g     | 1 |
| 77 | Sodium acetate trihydrate   | 500 g    | 1 |
| 78 | Acetonitrile anhydrous (99.8 +%)  | 250 mL   | 1 |
| 79 | 1,3-Dihydroxyacetone dimer  | 50 g     | 1 |
| 80 | Di-tertbutyl dicarbonate  | 100g     | 1 |
| 81 | Hydrogen chloride 4M in dioxane   | 0.5 mole | 1 |
| 82 | Ammonia 25% p.a.  | 2,5 L    | 1 |
| 83 | 1,4-Dioxane, anhydrous, 99.8%, packaged under Argon in resealable ChemSeal™ bottles | 1 L      | 1 |

|     |   |        |   |
|-----|---|--------|---|
| 84  | Hydrochloric acid 36,5-38% ACS BASIC            | 2.5 L  | 1 |
| 85  | 1-naphthoyl chloride 98%                        | 10 g   | 1 |
| 86  | 2-hydrazinopyrazine                             | 250 mg | 1 |
| 87  | 4-methoxyphenylhydrazine hydrochloride          | 5 g    | 1 |
| 88  | 4-sulfonamidophenylhydrazine hydrochloride      | 2.5 g  | 1 |
| 89  | 3,4-difluorophenylhydrazine hydrochloride       | 1 g    | 1 |
| 90  | 4-bromophenylhydrazine hydrochloride            | 5 g    | 1 |
| 91  | 3,4-dichlorophenylhydrazine hydrochloride       | 10 g   | 1 |
| 92  | 3,5-difluorophenylhydrazine hydrochloride       | 1 g    | 1 |
| 93  | 3-chloro-4-methylphenylhydrazine hydrochloride  | 1 g    | 1 |
| 94  | 4-trifluoromethylphenylhydrazine hydrochloride  | 1g     |   |
| 95  | 3-chloro-4-fluorophenylhydrazine hydrochloride  | 5 g    | 1 |
| 96  | 4-trifluoromethoxyphenylhydrazine hydrochloride | 1g     | 1 |
| 97  | tert-butylhydrazine hydrochloride               | 25 g   | 1 |
| 98  | 4-chlorobenzylamine                             | 5g     | 1 |
| 99  | aniline   | 100g   | 1 |
| 100 | 5-nitrothiophene-2-carboxaldehyde               | 5 g    | 1 |
| 101 | thiophene-2-sulfonyl chloride                   | 5g     | 1 |

|     |  |        |   |
|-----|--|--------|---|
| 102 | Sodium triacetoxy borohydride                                  | 5g     | 1 |
| 103 | Dichloroethane   | 500 mL | 1 |
| 104 | para-toluenesulfonic acid monohydrate                          | 250 g  | 1 |
| 105 | Sodium sulfate anhydrous                                       | 5 Kg   | 1 |
| 106 | Sodium carbonate   | 2.5 Kg | 1 |
| 107 | Triethylamine, 99+%  | 250 g  | 1 |
| 108 | acetyl chloride  | 50 mL  | 1 |
| 109 | Methyl-4-aminosalicate   | 100 g  | 1 |
| 110 | Sodium metaperiodate   | 10 g   | 1 |
| 111 | Diethyl azodicarboxylate                                       | 5 g    | 1 |
| 112 | Triphenylphosphine   | 100g   | 1 |
| 113 | N-Bromosuccinimide   | 250 g  | 1 |
| 114 | Sodium hydroxide, pellets                                      | 500 g  | 1 |
| 115 | 1,1'-Carbonyldiimidazole, 97%                                  | 10 g   | 1 |
| 116 | Osmium (VIII) oxide, 4% aq. Solution                           | 10 mL  | 1 |
| 117 | Naphthalene-1-sulfonyl chloride                                | 1 g    | 1 |
| 118 | Benzyl bromide   | 50 g   | 1 |
| 119 | (±)-alpha-Methoxy-alpha-(trifluoromethyl)phenylacetyl chloride | 250 mg | 1 |



|     |   |              |    |
|-----|---|--------------|----|
| 120 | Toluene, anhydrous, 99.8%   | 1 lt         | 1  |
| 121 | Tetrahydrofuran, anhydrous, 99.8+%, unstab.                                   | 100 ml       | 10 |
| 122 | Dimethylformamide, 99%  | 100 ml       | 2  |
| 123 | Acetic acid glacial reagent grade ACS   | 2,5 lt       | 1  |
| 124 | Sulfuric acid, 95 - 97%, for analysis ISO BASIC                               | 2,5 lt       | 1  |
| 125 | Dichloromethane, ACS BASIC, stabilized with approx. 50 ppm of amylene         | 25 lt        | 1  |
| 126 | n-Hexane, 96%, reagent grade, ACS   | 25 lt        | 1  |
| 127 | Ethyl acetate, ACS BASIC  | 25 lt        | 1  |
| 128 | Acetone ACS   | 25 lt        | 1  |
| 129 | Ethanol Absolute, denaturated with 0.5-1.5 Vol.% 2-butanone                   | 2,5 lt       | 1  |
| 130 | Chloroform-d 99.8%  | 100 ml       | 1  |
| 131 | Dimethylsulfoxide-D6 99,8%  | 50 ml        | 1  |
| 132 | Sodium hydrogen carbonate, extra pure, Pharmpur®, Ph Eur, BP, USP             | 1 kg         | 1  |
| 133 | Diisopropylamine, 99+%  | 100 ml       | 1  |
| 134 | Sodium chloride, reagent grade, ACS   | 5 kg         | 1  |
| 135 | Ammonium chloride, extra pure, Pharmpur®, Ph Eur, BP, USP                     | 1 kg         | 1  |
| 136 | TLC Plates, Aluminium Backed, Silica Gel 60A, 20X20cm, F254                   | 20 pcs / pak | 1  |
| 137 | Silica gel 60, 0,04 - 0,06 mm, for flash chromatography (230 - 400 mesh ASTM) | 1 kg         | 2  |

|     |   |        |   |
|-----|---|--------|---|
| 138 | Sea sand, washed, thin, approx. 300 - 350 $\mu$ m     | 1 kg   | 1 |
| 139 | Molecular sieves, 3A, 2-5mm (0.08-0.20in) beads       | 1 kg   | 1 |
| 140 | 1-(1-Morpholin-4-ylcycloheptyl)methanamine            | 1g     | 1 |
| 141 | Chlorosulfonic acid                                   | 100g   | 1 |
| 142 | 1,2-Ethanedithiol                                     | 25 mL  | 1 |
| 143 | Sodium tungstate                                      | 100 g  | 1 |
| 144 | Methyl 2-aminobenzoate                                | 50g    | 1 |
| 145 | Methanol HPLC grade                                   | 2.5 L  | 1 |
| 146 | Thionyl chloride                                      | 100 mL | 1 |
| 147 | 2-(Aminomethyl)-1-ethylpyrrolidine                    | 5g     | 1 |
| 148 | Lithium bis(trimethylsilyl)amide solution (1M in THF) | 25 mL  | 4 |
| 149 | Ethyl chloroformate                                   | 100g   | 1 |
| 150 | Phenylhydrazine hydrochloride                         | 5 g    | 1 |
| 151 | 4-hydrazinopyridine hydrochloride                     | 250 mg | 1 |
| 152 | 4-oxotetrahydrothiophene-3-carbonitrile               | 5 g    | 1 |
| 153 | 4-chloro-2-methylbenzaldehyde                         | 100 mg | 2 |
| 154 | hexafluoroacetone sesquihydrate for synthesis         | 5 mL   | 1 |
| 155 | HATU  | 5g     | 1 |

|     |   |        |    |
|-----|---|--------|----|
| 156 | Tetrabutylammonium chloride   | 25 g   | 1  |
| 157 | Sodium borohydride  | 25 g   | 1  |
| 158 | Palladium on activated carcoal (10% Pd basis)                               | 1 g    | 1  |
| 159 | Piperonyloyl chloride   | 1 g    | 1  |
| 160 | Pressure regulator K 98 (pressure bar 0 to 10) for Nitrogen                 |        | 1  |
| 161 | Parafilm sealing film (width 50 mm, Length 75 m                             |        | 1  |
| 162 | <u>Silicone Tubing</u> : (inside 6.0 mm, wall thickness 1.0 mm              |        | 10 |
| 163 | <u>Silicone Tubing</u> (inside 6.0 mm, wall thickness 1.50 mm               |        | 10 |
| 164 | <u>Silicone Tubing</u> inside 6.0 mm, wall thickness 2.00 mm                |        | 10 |
| 165 | Sodium acetate  | 250g   | 1  |
| 166 | mercaptoacetic acid   | 100g   | 1  |
| 167 | ethyl carbamate   | 50g    | 1  |
| 168 | 4-chloro-2-fluoroaniline  | 25g    | 1  |
| 169 | 4-chloroaniline   | 250g   | 1  |
| 170 | malonyl chloride  | 5g     | 1  |
| 171 | 1-methyl-2-pyrrolidinone anhydrous  | 100 mL | 1  |
| 172 | Kinesis KX Microwave vial with Crimp Cap, 2 to 5 ml<br>Silicone/PTFE, 20 mm | 100/pk | 1  |

|     |  |                            |    |
|-----|--|----------------------------|----|
| 173 | Kinesis KX Microwave vial with Crimp Cap, 10 to 20 ml<br>Silicone/PTFE, 20 mm                  | 50/pk                      | 1  |
| 174 | WHATMAN WEIGHING BOATS AND PAPER, B-2 SH,<br>1 package of 500                                  | 1 package of 500           | 1  |
| 175 | DISPOSABLE POLYSTYRENE WEIGHING DISHES,<br>500 W 1 <sup>5/8</sup> x D <sup>5/16</sup> in white | Pack of 500                | 1  |
| 176 | DISPOSABLE POLYSTYRENE WEIGHING DISHES,<br>100 W 3 <sup>1/2</sup> x D <sup>1</sup> in white    | Pack of 100                | 1  |
| 177 | WIDE-MOUTH SQUARE, POLYPROPYLENE*BOTTLE,<br>10 x 1000 mL                                       | 1000ml                     | 10 |
| 178 | BRAND WASH BOTTLE, LDPE, INTERCHANGABLE<br>10 x 500 mL   | 100ml                      | 10 |
| 179 | FLASK BRUSHES, STAINLESS STEEL WIRE, 1-3,<br>1 package (contained of 4)                        | 1 package (contained of 4) | 1  |
| 180 | TEST-TUBE BRUSHES, STAINLESS STEEL WIRE,<br>1 package (contained of 4)                         | 1 package (contained of 4) | 1  |

|     |   |                         |   |
|-----|---|-------------------------|---|
| 181 | POXYGRID GLASSWARE DRAIN STAND, EPOXY-CO                                    | <b>pkg of 1 ea</b>      | 1 |
| 182 | QUICKFIT GRAHAM COIL CONDENSER, SCREWTH'                                    |                         | 1 |
| 183 | QUICKFIT PLASTIC SCREWTHREAD SAFETY CONN                                    |                         | 1 |
| 184 | BRAND MAGNETIC STIRRING BAR RETRIEVER, P<br>L150 mm 1 package of connectors | 1 package of connectors | 1 |
|     |   |                         |   |

